

Zalco Laboratories, Inc.

4309 Armour Ave. Bakersfield, CA 93308 661.395.0539

October 07, 2025

Richie Lawrence

North Kern Water Storage District P O BOX 81435 Bakersfield, CA 93380

RE: Irrigation Analysis

Zalco Work Order: 2509519

Zalco Project:


Enclosed are the results of analyses for samples received by our laboratory on 9/26/2025. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Magana For Juan Magana

Laboratory Technical Manager

Agdiew Magaza



ZALCO LABORATORIES, INC.

PO:

4309 Armour Avenue, Bakersfield, CA 93308

CHAIN OF CUSTODY, ID#	2509519
STIMING OF COOLODI, IDW	230131

	Phone: (661) 395-05 Website: www.zalcolab			40	IALVE	ie beone	eten							Project ID:		
***************************************			Name of the or over the lower two and	AN	MALYS	IS REQUE	SIED	()	is the second second	(Carrier and Carrier and Carri	Policina (Carallel	Constant of the Constant of th	Total sales constituted			
OMPANY	North Kern water Storage	- Distric	<u>+</u>											Turna	round Time	e: ·
ONTACT	Richie Lawrence		MINERAL CONTROL													
HONE	661-978-9182		THE PARTY NAMES OF THE PARTY NAM											Routine:	(10 Busi	ness Days)
DDRESS	33380 Cawelo Ave Bak	ess field	CA	Por			DI				vo.			Rush By:	5 Working	Days
24	93308			airlon)		1			ir (S)	Number of Containers	-		EDT:	NO) .C	37
-MAIL	Mawrence Querth Kern ws	d. com		2	Cin				ž.	aline	onte	Sign S	ပ်	CLIP: (DIST/PERSON)		1
AMPLER (SI	SNATURE) 2	·	West of the second seco	3 5	10				Wair	Som	of C	Res	in re	System#		
	<i>O</i>			17	-				Sample Matrix	ō	bei	rine	pied	Client Declined State Submittal	X). (3
LAB#	SAMPLE DESCRIPTION	DATE SAMPLED	TIME SAMPLED						E I	Type of Container(s)		Chilorine Residual	Temperature	EMAIL:		
	Kimbertin	9-26-25	7:50 Am	XX	1			N		0	2		~		oreo	
2	Stiff House	9-26-25	7208	XX				N	10	0	. 1	-	-	0<	IOTES:	
3	7th Stanoare	9-26-25		XX	X			CONTRACTOR OF STREET		0	1	-		43	0	
4	CT 1@ Zachary	4-26-25		XX	X			N	0	0	2	/	-			
5	Hear of Bearesles	4-26.25		XX	1			AND DESCRIPTION OF THE PERSONS ASSESSED.	-	n	1		_			***************************************
	The state of the s									\·					,	
			***************************************			7.						CHAIR DISTO			2	00 ABO 00 0000 AN 00 LOVE AN 1990 O
¥												ALCOHOLD IN				
		-												**************************************		CANADA CANADA
												\$				****************
			100									10.			II.	

	Y															
					1				-				7			
Relin	equished By: Company	/:	Date:			Γime:	R	eceived B	y:	Manage Ma	J	Date:		Time:	Comp	any:
)01	Ex Contalet		9-26	25	- A COLUMN	10:20	- Augustin	LIVL			(9.20	0-7 5	5 10.70	20100)
										LOCATION STRUCTURES						

NOTE:

Samples Discarded 30 days after results unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client's expense.

Sample Type Key:

NP-Non-Potable; BS-Biosolid; DW-Drinking Water; GW-Groundwater; G-Gas LPG-Liquid Petroleum Gas; OL-Oil; P-Petroleum; S-Solid/Soil; ST-Storm water WW-Wastewater; L-Liquid; Aq-Aqueous



P O BOX 81435 Bakersfield, CA 93380

Project: Irrigation Analysis Project Number: Irrigation Analysis Project Manager: Richie Lawrence

Reported: 10/07/2025 14:01

Sample Results

9/26/2025 7:50:00AM **Sample Name:** Kimberlina **Sampled Date - Time:**

> Matrix: Water

Grab Lab ID: 2509519-01 Sample Type:

Analyte	Result	Report Limt	MDL	Units	Dilution	Date Analyzed	Method	Analyst Initials	Qual
Solids									
Total Suspended Solids	5.2	2.5	0.33	mg/L	1	9/29/25 14:23	SM 2540 D	TP	



P O BOX 81435 Bakersfield, CA 93380

Sample Name:

Project: Irrigation Analysis Project Number: Irrigation Analysis Project Manager: Richie Lawrence

Reported:

10/07/2025 14:01

Sample Results

(Continued)

Stiff House Sampled Date - Time:

9/26/2025 8:08:00AM

Matrix:

Water

Sample Type:

Grab

Lab ID: 2509519-02

Report Date Analyst
Analyte Result Limt MDL Units Dilution Analyzed Method Initials Qual

Solids

Total Suspended Solids 182.5
0.33
mg/L
1
9/29/25
14:23
SM 2540 D
TP



P O BOX 81435 Bakersfield, CA 93380

Sample Name:

Project: Irrigation Analysis Project Number: Irrigation Analysis

Reported: 10/07/2025 14:01

TP

Sample Results

Project Manager: Richie Lawrence

(Continued)

7th Standard

12

2.5

9/26/2025 8:33:00AM

Matrix:

Water

SM 2540 D

Sample Type:

Sampled Date - Time:

Grab

9/29/25 14:23

Lab ID: 2509519-03

Total Suspended Solids

Analyst Report Date Method MDL Analyte Result Limt Units Dilution Analyzed Initials Qual **Solids**

0.33

mg/L



P O BOX 81435 Bakersfield, CA 93380 Project: Irrigation Analysis
Project Number: Irrigation Analysis
Project Manager: Richie Lawrence

Reported: 10/07/2025 14:01

10/0//

Sample Results

(Continued)

Sample Name: CT 1 @ Zachary

Sampled Date - Time:

9/26/2025 8:53:00AM

Matrix:

Water

Sample Type:

Grab

Lab ID: 2509519-04

Report Date Analyst
Analyte Result Limt MDL Units Dilution Analyzed Method Initials Qual

Solids

Total Suspended Solids ND 2.5 0.33 mg/L 1 9/29/25 14:23 SM 2540 D TP



P O BOX 81435 Bakersfield, CA 93380

Sample Name:

Project: Irrigation Analysis
Project Number: Irrigation Analysis

Project Manager: Richie Lawrence

Reported:

10/07/2025 14:01

Sample Results

(Continued)

Head of Beardsley

Sampled Date - Time:

9/26/2025 9:44:00AM

Matrix:

Water

Sample Type:

Grab

Lab ID: 2509519-05

Report Date Analyst

Analyte Result Limt MDL Units Dilution Analyzed Method Initials Qual

Solids

Total Suspended Solids 122.5
0.33
mg/L
1
9/29/25
14:23
SM 2540 D
TP



North Kern Water Storage District P O BOX 81435 Bakersfield, CA 93380 Project: Irrigation Analysis Project Number: Irrigation Analysis Project Manager: Richie Lawrence

Reported:

10/07/2025 14:01

Quality Control

Solids


Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: 5100873 - WetChem										
Blank (5I00873-BLK1)					Prepared 8	& Analyzed: 9,	/29/2025			
Total Suspended Solids	ND		2.5	mg/L						
Duplicate (5I00873-DUP1)	So	urce: 2509	523-05		Prepared 8	& Analyzed: 9	/29/2025			
Total Suspended Solids	2400		2.5	mg/L		2400			0.00	10
Reference (5I00873-SRM1)					Prepared 8	& Analyzed: 9,	/29/2025			
Total Suspended Solids	100			mg/L	100		101	70-130		



North Kern Water Storage DistrictProject: Irrigation AnalysisP O BOX 81435Project Number: Irrigation AnalysisBakersfield, CA 93380Project Manager: Richie Lawrence10/07/2025 14:01

Notes and Definitions

<u>Item</u>	<u>Definition</u>
Dry	Sample results reported on a dry weight basis.
ND	Analyte NOT DETECTED at or above the reporting limit.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.





ZALCO LABORATORIES, INC.

Analytical and Consulting Services

4309 Armour Avenue, Bakersfield, CA 93308

(661) 395-0539 FAX (661) 395-3069

North Kern Water Storage District 33380 Cawelo Ave.

Bakersfield, CA 93308

Laboratory No: Date Received: Analysis Date:

Date Reported:

2509519-01 09/26/25 09/26/25

10/07/25

Attention: Richie Lawrence

Sample Identification:

Kimberlina

Sampled by:

Jorge Gonzalez

Date: 9/26/2025

Time: 7:50:00 AM

	ATION WATER ANALT	010		
pH7.71				
Specific Conductance 531	Specific Cond	Specific Conductance (SC):		
(micromhos/cm @ 25 C)	(millimhos/cm	(millimhos/cm @ 25 C)		
		A Control of the Cont		
Constituents	<u>mg/L</u>	<u>meq/L</u>		
Calcium, Ca	31	1.5		
Magnesium, Mg	3.2	0.26		
Sodium, Na	51	2.20		
Potassium, K	2.0	0.051		
Alkalinity as:				
Hydroxide, OH	0.0	0		
Carbonate, CO3	0	0		
Bicarbonate, HCO3	59	0.97		
Chloride, CI	61	1.7		
Sulfate, SO4	81	1.7		
Nitrate, NO3	4.0	0.065		
Totals (Sum)	269	8.4	**************************************	
Boron, B	< 0.10			
Total Dissolved Solids, (Gravimetric)	300			
Calculated Hardness, CaCO3	91			
Sodium Adsorption Ratio, SAR	2.3			
Exchangeable Sodium Percentage, ESP	2.1			
Cation/Anion Balance, %	6%			
Langelier Scale Index	-0.30			
-				

www.zalcolabs.com



ZALCO LABORATORIES, INC.

Analytical and Consulting Services

4309 Armour Avenue, Bakersfield, CA 93308

(661) 395-0539 FAX (661) 395-3069

North Kern Water Storage District

33380 Cawelo Ave. Bakersfield, CA 93308 Laboratory No: Date Received: Analysis Date:

Date Reported:

2509519-02 09/26/25 09/26/25

10/07/25

Attention: Richie Lawrence

Sample Identification:

Stiff House

Sampled by:

Jorge Gonzalez

Date: 9/26/2025

Time: 8:08:00 AM

pH7.74					
Specific Conductance 457	Specific Cond	0.457			
(micromhos/cm @ 25 C)	(millimhos/cm	(millimhos/cm @ 25 C)			
Constituents	<u>mg/L</u>	<u>meq/L</u>			
Calcium, Ca	29	1.4			
Magnesium, Mg	3.4	0.28			
Sodium, Na	45	2.00			
Potassium, K	2.2	0.056			
Alkalinity as:					
Hydroxide, OH	0.0	0			
Carbonate, CO3	0.0	0			
Bicarbonate, HCO3	59	0.96			
Chloride, Cl	43	1.2			
Sulfate, SO4	64	1.3			
Nitrate, NO3	3.7	0.06			
Totals (Sum)	226	7.3			
Boron, B	< 0.10				
Total Dissolved Solids, (Gravimetric)	280				
Calculated Hardness, CaCO3	91				
Sodium Adsorption Ratio, SAR	2.1				
Exchangeable Sodium Percentage, ESP	1.8				
Cation/Anion Balance, %	0%				
Langelier Scale Index	-0.30				

www.zalcolabs.com



ZALCO LABORATORIES, INC.

Analytical and Consulting Services

4309 Armour Avenue, Bakersfield, CA 93308

(661) 395-0539 FAX (661) 395-3069

North Kern Water Storage District

33380 Cawelo Ave. Bakersfield, CA 93308 Laboratory No: Date Received: Analysis Date:

Date Reported:

2509519-03 09/26/25 09/26/25 10/07/25

Attention: Richie Lawrence

Sample Identification:

7th Standard


Sampled by:

Jorge Gonzalez

Date: 9/26/2025

Time: 8:33:00 AM

pH 8.00				
Specific Conductance 176	Specific Con	Specific Conductance (SC):		
(micromhos/cm @ 25 C)	(millimhos/cr	n @ 25 C)		
	97		And the second s	
<u>Constituents</u>	<u>mg/L</u>	meq/L		
Calcium, Ca	13	0.7		
Magnesium, Mg	2.4	0.2		
Sodium, Na	10	0.43		
Potassium, K	1.8	0.046		
Alkalinity as:				
Hydroxide, OH	0.0	0		
Carbonate, CO3	0.0	0		
Bicarbonate, HCO3	61	1		
Chloride, Cl	5	0.13		
Sulfate, SO4	13	0.27		
Nitrate, NO3	1.2	0.019		
Totals (Sum)	83	2.7		
Boron, B	< 0.10			
Total Dissolved Solids, (Gravimetric)	120			
Calculated Hardness, CaCO3	42			
Sodium Adsorption Ratio, SAR	0.7			
Exchangeable Sodium Percentage, ESP	-0.2			
Cation/Anion Balance, %	9%			
Langelier Scale Index	-0.35			
-				





ZALCO LABORATORIES, INC.

Analytical and Consulting Services

4309 Armour Avenue, Bakersfield, CA 93308

(661) 395-0539 FAX (661) 395-3069

North Kern Water Storage District

33380 Cawelo Ave. Bakersfield, CA 93308

Laboratory No: Date Received:

2509519-04 09/26/25

Analysis Date: Date Reported:

09/26/25 10/07/25

Attention: Richie Lawrence

Sample Identification:

CT 1 @ Zachary

Sampled by:

Jorge Gonzalez

Date: 9/26/2025

Time: 8:53:00 AM

pH 8.35			0.283	
Specific Conductance 283		Specific Conductance (SC):		
(micromhos/cm @ 25 C)	(millimhos/cm	(millimhos/cm @ 25 C)		
Constituents	<u>mg/L</u>	<u>meq/L</u>		
Calcium, Ca	5.8	0.3		
Magnesium, Mg	0.09	0.0076		
Sodium, Na	38	1.70		
Potassium, K	0.81	0.021		
Alkalinity as:				
Hydroxide, OH	0.0	0		
Carbonate, CO3	1.5	0.05		
Bicarbonate, HCO3	59	0.97		
Chloride, Cl	16	0.45		
Sulfate, SO4	36	0.75		
Nitrate, NO3	2.5	0.04		
Totals (Sum)	136	4.3		
Boron, B	< 0.10			
Total Dissolved Solids, (Gravimetric)	140			
Calculated Hardness, CaCO3	15			
Sodium Adsorption Ratio, SAR	4.3			
Exchangeable Sodium Percentage, ESP	4.8			
Cation/Anion Balance, %	10%			
Langelier Scale Index	-0.36			





ZALCO LABORATORIES, INC.

Analytical and Consulting Services

4309 Armour Avenue, Bakersfield, CA 93308

(661) 395-0539 FAX (661) 395-3069

North Kern Water Storage District

33380 Cawelo Ave. Bakersfield, CA 93308

Laboratory No: Date Received: 2509519-05

Analysis Date: Date Reported:

09/26/25 09/26/25 10/07/25

Attention: Richie Lawrence

Sample Identification:

Head of Beardsley

Sampled by:

Jorge Gonzalez

Date: 9/26/2025

Time: 9:44:00 AM

pH7.94		
Specific Conductance 169	Specific Conductance	(SC): 0.169
(micromhos/cm @ 25 C)	(millimhos/cm @ 25 C	
		AAAA
Constituents	mg/L	meq/L
Calcium, Ca	11	0.6
Magnesium, Mg	2.20	0.18
Sodium, Na	10	0.42
Potassium, K	1.8	0.046
Alkalinity as:		
Hydroxide, OH	0.0	0
Carbonate, CO3	0.0	0
Bicarbonate, HCO3	60	0.98
Chloride, Cl	4.7	0.13
Sulfate, SO4	10	0.2
Nitrate, NO3	1.3	0.021
Totals (Sum)	76	2.5
Boron, B	: 0.10	
Total Dissolved Solids, (Gravimetric)	88	
Calculated Hardness, CaCO3	37	
Sodium Adsorption Ratio, SAR	0.7	
Exchangeable Sodium Percentage, ESP	-0.2	
Cation/Anion Balance, %	11%	
Langelier Scale Index	-0.48	

BII0624 10/03/2025

Invoice: BI02916

Andrea Magana Zalco Laboratories 4309 Armour Avenue Bakersfield, CA 93308

RE: Report for BII0624 General

Dear Andrea Magana,

Thank you for using BSK Associates for your analytical testing needs. In the following pages, you will find the test results for the samples submitted to our laboratory on 9/30/2025. The results have been approved for release by our Laboratory Director as indicated by the authorizing signature below.

The samples were analyzed for the test(s) indicated on the Chain of Custody (see attached) and the results relate only to the samples analyzed. BSK certifies that the testing was performed in accordance with the quality system requirements specified in the 2016 TNI Standard. Any deviations from this standard or from the method requirements for each test procedure performed will be annotated alongside the analytical result or noted in the Case Narrative. Unless otherwise noted, the sample results are reported on an "as received" basis.

This certificate of analysis shall not be reproduced except in full, without written approval of the laboratory.

If additional clarification of any information is required, please contact your Client Services Representative, Misty Orton , at 661-327-0671.

Thank you again for using BSK Associates. We value your business and appreciate your loyalty.

Sincerely,

Misty Orton, Project Manager

() Kashts



Case Narrative

Project and Report Details Invoice Details

Client:Zalco LaboratoriesInvoice To: Zalco LaboratoriesReport To:Andrea MaganaInvoice Attn: Andrea Magana

Project #: 2509519 **Project PO#**: -

Received: 9/30/2025 - 09:16 **Report Due:** 10/06/2025

Sample Receipt Conditions

Cooler: Default Cooler Containers Intact

Temperature on Receipt °C: 0.5 COC/Labels Agree

Received On Blue Ice

Sample(s) arrived at lab on same day sampled.

Packing Material - Other

Sample(s) were received in temperature range.

Initial receipt at BSK-BAL

Data Qualifiers

The following qualifiers have been applied to one or more analytical results:

Report Distribution

Recipient(s)	Report Format	CC:
Andrea Magana	FINAL.RPT	Julian@zalcolabs.com
Ashlee Gonzalez	FINAL.RPT	admin@zalcolabs.com

^{***}None applied***





2509519

Certificate of Analysis

Sample ID: BII0624-01 Sampled By: Client

Sample Description: 2509519-01

Sample Date - Time: 09/26/2025 - 07:50

Matrix: Water Sample Type: Grab

BSK Associates Laboratory Fresno

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed Qual
Arsenic	EPA 200.8	5.0	2.0	ug/L	1	AIJ0037	10/01/25	10/02/25





2509519

Certificate of Analysis

Sample ID: BII0624-02 **Sampled By:** Client

Sample Description: 2509519-02

Sample Date - Time: 09/26/2025 - 08:08

Matrix: Water Sample Type: Grab

BSK Associates Laboratory Fresno

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed	Qual
Arsenic	EPA 200.8	4.8	2.0	ug/L	1	AIJ0037	10/01/25	10/02/25	





2509519

Certificate of Analysis

Sample ID: BII0624-03 **Sampled By:** Client

Sample Description: 2509519-03

Sample Date - Time: 09/26/2025 - 08:33

Matrix: Water Sample Type: Grab

BSK Associates Laboratory Fresno

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed Qual
Arsenic	EPA 200.8	6.9	2.0	ug/L	1	AIJ0037	10/01/25	10/02/25





2509519

Certificate of Analysis

Sample ID: BII0624-04 **Sampled By:** Client

Sample Description: 2509519-04

Sample Date - Time: 09/26/2025 - 08:53

Matrix: Water Sample Type: Grab

BSK Associates Laboratory Fresno

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed Qual
Arsenic	EPA 200.8	3.8	2.0	ug/L	1	AIJ0037 1	10/01/25	10/02/25





2509519

Certificate of Analysis

Sample ID: BII0624-05 **Sampled By:** Client

Sample Description: 2509519-05

Sample Date - Time: 09/26/2025 - 09:44

Matrix: Water Sample Type: Grab

BSK Associates Laboratory Fresno

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed Qual
Arsenic	EPA 200.8	6.9	2.0	ug/L	1	AIJ0037	10/01/25	10/02/25



BSK Associates Laboratory Fresno Metals Quality Control Report

	IV	etais Qua	ity Oc	<i>/</i> 11t1 O1	Keport					
Analysis	Desuit	D.	Units	Spike	Source	°/ PEC	%REC	BBB	RPD	Date Ovel
Analyte	Result	RL	Oilles	Level	Result	%REC	Limits	RPD	Limit	Analyzed Qual
		EPA 200.	8 - Qua	lity Cor	ntrol					
Batch: AlJ0037										Prepared: 10/1/20
Prep Method: EPA 200.2										Analyst: R
Blank (AlJ0037-BLK1)										
Arsenic	ND	2.0	ug/L							10/02/25
Blank Spike (AlJ0037-BS1)										
Arsenic	240	2.0	ug/L	240	ND	99	85-115			10/02/25
Blank Spike Dup (AlJ0037-BSD1)										
Arsenic	240	2.0	ug/L	240	ND	99	85-115	0	20	10/02/25
Matrix Spike (AlJ0037-MS1), Source: All36	31-02									
Arsenic	240	2.0	ug/L	240	2.8	97	70-130			10/02/25
Matrix Spike (AlJ0037-MS2), Source: All36	92-03									
Arsenic	240	2.0	ug/L	240	6.0	99	70-130			10/02/25
Matrix Spike Dup (AlJ0037-MSD1), Source	e: All3631-02									
Arsenic	240	2.0	ug/L	240	2.8	99	70-130	2	20	10/02/25
Matrix Spike Dup (AlJ0037-MSD2), Source	e: All3692-03									
Arsenic	250	2.0	ug/L	240	6.0	100	70-130	1	20	10/02/25



Certificate of Analysis

Notes:

- The Chain of Custody document and Sample Integrity Sheet are part of the analytical report.
- Any remaining sample(s) for testing will be disposed of according to BSK's sample retention policy unless other arrangements are made in advance.
- All positive results for EPA Methods 504.1 and 524.2 require the analysis of a Field Reagent Blank (FRB) to confirm that the results are not a contamination error from field sampling steps. If Field Reagent Blanks were not submitted with the samples, this method requirement has not been performed.
- Samples collected by BSK Analytical Laboratories were collected in accordance with the BSK Sampling and Collection Standard Operating Procedures.
- J-value is equivalent to DNQ (Detected, not quantified) which is a trace value. A trace value is an analyte detected between the MDL and the laboratory reporting limit. This result is of an unknown data quality and is only qualitative (estimated). Baseline noise, calibration curve extrapolation below the lowest calibrator, method blank detections, and integration artifacts can all produce apparent DNQ values, which contribute to the un-reliability of these values.
- (1) Residual chlorine and pH analysis have a 15 minute holding time for both drinking and waste water samples as defined by the EPA and 40 CFR 136. Waste water and ground water (monitoring well) samples must be field filtered to meet the 15 minute holding time for dissolved metals
- · Field tests are outside the scope of laboratory accreditation and there is no certification available for field testing.
- · Summations of analytes (i.e. Total Trihalomethanes) may appear to add individual amounts incorrectly, due to rounding of analyte values occurring before or after the total value is calculated, as well as rounding of the total value.
- RL Multiplier is the factor used to adjust the reporting limit (RL) due to variations in sample preparation procedures and dilutions required for matrix interferences.
- Due to the subjective nature of the Threshold Odor Method, all characterizations of the detected odor are the opinion of the panel of analysts. The characterizations can be found in Standard Methods 2170B Figure 2170:1.
- The MCLs provided in this report (if applicable) represent the primary MCLs for that analyte.
- (2) Formerly known as Bis(2-Chloroisopropyl) ether.
 Unless otherwise noted, TOC results by SM 5310C method do not include purgeable organic carbon, which is removed along with the

inorganic carbon interference. The POC contribution to TOC is considered to be negligible.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.







Certificate of Analysis

Definitions

mg/L: Milligrams/Liter (ppm)
mg/Kg: Milligrams/Kilogram (ppm)
μg/L: Micrograms/Liter (ppb)
μg/Kg: Micrograms/Kilogram (ppb)

%: Percent NR: Non-Reportable MDL: Method Detection Limit
RL: Reporting Limit: DL x Dilution
ND: None Detected below MRL/MDL
pCi/L: PicoCuries per Liter

RL Mult: RL Multiplier

MCL: Maximum Contaminant Limit

MDA95: Min. Detected Activity
MPN: Most Probable Number
CFU: Colony Forming Unit
Absent: Less than 1 CFU/100mLs
Present: 1 or more CFU/100mLs

The analyte was not detected at or above the reported sample quantitation

limit.

U:

Please see the individual Subcontract Lab's report for applicable certifications.

The following parameters are not available for certification through CA ELAP:

Odor Diisopropyl ether (DIPE) by EPA 524.2



Certificate of Analysis

Certifications: Please refer to our website for a copy of our Accredited Fields of Testing under each certification.

	rsfi	

State of California - ELAP 1180-S3

Fresno

State of California - ELAP 1180 State of Hawaii 4021 Los Angeles CSD 9254479 **NELAP** certified 4021-025 State of Nevada NV-C25-00194 State of Oregon - NELAP 4021-025 **EPA UCMR5** CA00079 State of Washington C997-25

Sacramento

State of California - ELAP 1180-S1

San Bernardino

State of California - ELAP 1180-S2 Los Angeles CSD 9254478

NELAP certified 4119-010 State of Oregon - NELAP 4119-010

Vancouver

NELAP certified WA100008-021 State of Oregon - NELAP WA100008-021

State of Washington C824-25

Sample Integrity

BSK Bottles: Yes No Page of



	Was temperature within range? Chemistry ≤ 6°C Micro < 8°C	Yes No	NIA I	e correct conta	Mary Control of the C		Yes	s) No	
Info	If samples were taken today, is there evidence that chilling has begun?	ce Yes No	NA Bub	bles Present V Received? (Ch	OAs (524.2	/TTHM/TCP)?	Yes Yes	No NA No NA	
ပ	Did all bottles arrive unbroken and intact?	Yes		a sufficient ar					
203	Did all bottle labels agree with COC?	Yes		Do samples have a hold time <72 hours?			Yes	s (No)	
	Was sodium thiosulfate added to CN sample until chlorine was no longer present?	(s) Yes	NA	Was PM notified of dis		email scan copy		NØ NA	
	250ml(A) 500ml(B) 1Liter(C) 40mlVOA(V) 125ml(L	O) Checks	* Passed	? 15					
	Bacti Na ₂ S ₂ O ₃						3111		
	None (P)White Label	<u> </u>							
	Cr6 (P) Lt. Green Label/Blue Cap NH4OH(NH4)2SO4	DW Cl, pH >	8 P F	1 经支票基			\$ 11		
ap	Cr6 (P) Pink Label/Blue Cap NH40H(NH4)2SO4 N	ww pH 9.3-9	9.7 P F		/				
n the lab	Cr6 (P) Black Label/Blue Cap NH4OH(NH4)2SO4 7	pH 9.0-9	9.5 P F						
ed ii	HNO3 (P) Red Label or HCI (P) Purple Cap/Lt. Blue L	abel		10					
Ě	H ₂ SO ₄ (P) or (AG) Yellow Label	pH < 2	2 P F						
performed	NaOH (P) Green Cap/Label	CI, pH >	10 P F						
are p	NaOH + ZnAc (P)	pH > 9							
5	Dissolved Oxygen 300ml (g)								
N/A	None (AG) 608/8081/8082, 625, 632/8321, 8151, 82	70 —							
Bottles Received rine checks are either	HCI (AG)Lt. Blue Label O&G, Diesel						Mn		
cei e ei	Ascorbic, EDTA, KH ₂ Ct (AG) ^{Pink Label} 525							25	
Re	Na ₂ SO ₃ (AG) ^{Neon Green Label} 515	<u> </u>					1 30		
t les R checks	Na ₂ S ₂ O ₃ 1 Liter (Brown P) 549								
ottl e c	and as homeoperatory continued on the continued of the co								
B	Na ₂ S ₂ O ₃ (CG) ^{Blue Label} 504, 505, 547								
n/ch	Na ₂ S ₂ O ₃ + MCAA (CG) ^{Orange Label} 531	pH < :	3 P F						
Bof preservation/chlorine	NH ₄ Cl (AG) ^{Purple Label} 552								
sen	EDA (P) or (AG) Brown Label DBPs								
pre	HCL (CG) 524.2,BTEX,Gas, MTBE, 8260/624		24.5				5.44 E		
ans	Experience and the second seco						Visit in		
ä	Ascorbic Acid (AG) TCP DWRL Buffer pH 4 (CG)							1 1 1 1 E	
1	H ₃ PO ₄ (CG) ^{Salmon Label}								
3	Trizma – EPA 537.1Light Blue Label FB								
	Ammonia Acetate - EPA 533 Purple Label FE	3							
	Bottle Water		Cayley Cayley						
	Clear Glass: Jar / VOA	<u> </u>							
	OTHER:		1				1 5 5		
±	Container Preservative	Lot #	Initial	s Date/Tin			Check		
Split	S P					Lot#			
752	*Processation shock completed by leb no	daymin a sast	olo .	/ lm al! = =4= =		ot #			
	*Preservation check completed by lab pe	morming analy	sis. ✓	Indicates	Blanks Re	eceived			
Comments			504_	524.2 _	TTHM	537/5	33 7	ГСР	
Con	Labeled by: Chec	ked by:	•	MS/MSD F	Received I	Method:			
	Jileo								

Scanned: WWW

Rush/Short HT Page: _

Fime: Page 12 of 16

SUBCONTRACT ORDER

Zalco Laboratories, Inc 2509519

SENDING LABORATORY:

Zalco Laboratories, Inc 4309 Armour Ave Bakersfield, CA 93308 Phone: 661.395.0539

Fax: N/A

Project Manager: Juan Magana

RECEIVING LABORATORY:

BSK Analytical Laboratories 691 N. Laverne Avenue, Suite 101 Fresno, CA 93727

Phone :(559) 497-2888 Fax: (559) 485-6935

No	N	VO	PASI	E
100	1 4	10	1.20	-

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: 2509519-01	Water Sa	impled:09/26/25 07:50		No EDT Needed
As-200.8 Containers Supplied:	10/03/25 09:00	03/25/26 07:50		
Sample ID: 2509519-02	Water Sa	ampled:09/26/25 08:08		No EDT Needed
As-200.8 Containers Supplied:	10/03/25 09:00	03/25/26 08:08		
Sample ID: 2509519-03	Water Sa	ampled:09/26/25 08:33		No EDT Needed
As-200.8 Containers Supplied:	10/03/25 09:00	03/25/26 08:33		
Sample ID: 2509519-04		ampled:09/26/25 08:53		No EDT Needed
As-200.8 Containers Supplied:	10/03/25 09:00	03/25/26 08:53		
Sample ID: 2509519-05	Water Sa	ampled:09/26/25 09:44		No EDT Needed
As-200.8 Containers Supplied:	10/03/25 09:00	03/25/26 09:44		
Temp. 0.5				4 DAY
Released By	9/20 Da	9/25	Received By	Date
Released By	Q-3	725	Maria Pame Received By	1/12 Q.70.25 0916 Date

WEBER

Page 13 of 16



SAMPLE TRANSIT ORDER

BII0624

Misty Orton



Date

Page 14 of 16

Date

Receipt temp @ FAL: U-4

Thermometer/ IR Gun ID: 64

SENDING LABORATORY:

RECEIVING LABORATORY:

BSK Associates Laboratory Fresno 687 N. Laverne Avenue Fresno, CA 93727

559-497-2888 (Main)

Project Manager: Misty Orton

E-mail: mistyo@bskassociates.com

Released By

Turnaround (Days): 4
QC Deliverables: 1 Std III IV


E-ma	nil: mistyo@bskassocia	ates.com	QC Deliverab	Deliverables: I Std III IV					
-,7:		Client: Zal	co Laborat	tories					
Sample ID	Samp Desc					Sample Date			
BII0624-01	2509519-01			Client Matrix V	Vaste Water	09/26/2025 07:50			
Lab Matrix:	Water								
	Analysis:								
	Arsenic, CA DW ICPMS								
BII0624-02	2509519-02			Client Matrix V	Vaste Water	09/26/2025 08:08			
Lab Matrix:	Water								
	Analysis:					1			
	Arsenic, CA DW ICPMS			•					
BII0624-03	2509519-03			Client Matrix V	Waste Water	09/26/2025 08:33			
Lab Matrix:	Water								
1000	Analysis:					1			
	Arsenic, CA DW ICPMS			NS					
BII0624-04	2509519-04			Client Matrix V	Waste Water	09/26/2025 08:53			
Lab Matrix:									
	Analysis:								
	Arsenic, CA DW ICPMS			ti.					
BII0624-05	2509519-05			Client Matrix V	Waste Water	09/26/2025 09:44			
Lab Matrix:									
	Analysis:								
	Arsenic, CA DW ICPMS			6		ε			
Containers Inclu									
BII0624-01	A	Z- 125mL P / HNO3							
BII0624-02	Α	Z- 125mL P / HNO3							
BII0624-03	A	Z- 125mL P / HNO3							
BII0624-04	Α	Z-125mL P / HNO3							
BII0624-05	A	Z- 125mL P / HNO3				trout.			
H Affairts					1	UTXU			
	April april at		1	Λ					
Released By	D	ate	Received By	11	Date	2/			
3.05			(Kalhol	No	921	1-25011/0			

Received By

SAMPLE TRANSIT INTEGRITY

PM: Misty Orton

BII0624 09/30/2025 Zalco0539



BSK Bottles: Yes No Page of Was temperature within range? Were correct containers and preservatives received for the Yes No NA NA No Chemistry ≤ 6°C Micro< 8°C tests requested? 웬 Bubbles Present VOAs (524.2/TCP/TTHM)? Yes No Did all bottles arrive unbroken and intact? Yes No ₩. TB Received? (Check Method Below) No No 2000 Was a sufficient amount of sample received? No Was PM notified of discrepancies? NA Do samples have a hold time <72 hours? Yes No Was sodium thiosulfate added to CN sample(s) until 6iA Yes No By/Time: chlorine was no longer present? Passed? 250ml(A) 500ml(B) 1Liter(C) 40ml VOA(V) Checks Bacti Na2S2O3 None (P) White Cap ap F Cr6 (P) Lt. Green Label/Blue Cap NH4OH(NH4)SO4 DW Cl, pH>8 in the Cr6 (P) Pink Label/Blue Cap NH4OH(NH4)SO4 WW pH 9.3 - 9.7 P F Cr6 (P) Black Label/Blue Cap NH4OH(NH4)SO4 7199 are performed P F pH 9.0 - 9.5 ***24 HOUR HOLD TIME*** HNO3 (P) Red Cap or HCl (P) Purple Cap/Lt. Blue Label 10 pH < 2 P F H2SO4 (P) or (AG) Yellow Cap/Label P F NaOH (P) Green Cap Cl, pH> 10 P F NaOH + ZnAc (P) pH > 9preservation/chlorine checks are either N/A or Dissolved Oxygen 300ml (g) None (AG) 608/8081/8082, 625, 632/8321, 8151, 8270 HCl (AG) Lt. Blue Label O&G, Diesel **Bottles Received** Ascorbic, EDTA, KH2Ct (AG) Pink Label 525 Na2SO3 250ml (AG) Neon Green Label 515 Na2S2O3 1 Liter (Brown P) 549 Na2S2O3 (AG) Blue Label 548, THM, 524 Na2S2O3 (CG) Blue Label 504, 505, 547 Na2S2O3 + MCAA (CG) Orange Label 531 pH < 3PF NH4Cl (AG) Purple Label 552 EDA (AG) Brown Label DBPs HCL (CG) 524.2, BTEX, Gas, MTBE, 8260/624 Buffer pH 4 (CG) H3PO4 (CG) Salmon Label 250mL P / Trizma 537.1 means 250mL P/Ammonium Acetate - EPA533 Asbestos 1L (P) / LL Metals Bottle Bottled Water Clear Glass Jar/VOA Solids: Brass / Steel / Plastic Bag Ascorbic Acid (AG) TCP DWRL Other: Preservative/Lot# Date/Time/Initials Preservative/Lot# Container Date/Time/Initials Container Split SP S P SP S P ✓ Indicates Blanks Received Comments 524.2 TCP 537 8260/624 Preservation Check: pH Lot# CI Lot#

Page 15 of 16